

MATERIAL SAFETY DATA SHEET

OXYDANT 30 VOLUME

Product Code: PB41726

I. PRODUCT AND COMPANY INFORMATION

Product Name	Oxydant 30 Volume
Product Code	PB41726
Product Class	Hair Peroxide
Description	White semi-viscous liquid
Use	Hair bleaching
Company Name	Patrice Beaute / Nattura Laboratorios, S.A. de C.V.
Address 1	14701 Atlanta Drive Pan American Business Park Laredo, TX 78045 USA
Address 2	Pedro Martinez Rivas # 746 Parque Industrial Belenes Norte Zapopan, Jalisco C.P. 45150 Mexico
Telephone Number	(956)724-9600 / (52 33) 3208-8282
Prepared by	Patrice Beaute / Nattura Laboratorios, S.A. de C.V.
Internet webpage	www.patricebeaute.com
E-mail	gguevara@patricebeaute.com
Emergency Telephone Number	(1877)724-9605 / (52 33) 3836-3850

II. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME (>1.0% Concentration)	CAS #	EXPOSURE LIMITS
1. Water	7732-18-5	None
2. Hydrogen peroxide 50%	7722-84-1	Not Established
3. Cetearyl alcohol	8005-44-5	Not Established
4. Ceteareth 20	68439-49-6	Not Established
5. Simethicone	8050-81-5	Not Established
6. Tetrasodium EDTA	64-02-8	Not Established
7. Phosphoric acid	7664-38-2	Not Established
8. Sodium stannate	12058-66-1	Not Established
9. Fragrance		Not Established

III. HAZARDS IDENTIFICATION

Hazard Classification:

This product has one Hazardous Ingredient: Hydrogen Peroxide (Moderate)

Emergency Overview:

Immediate Concerns: Oxidizer. Contact with combustibles may cause fire. Decomposes yielding oxygen that supports combustion of organic matters and can cause overpressure if confined.

MATERIAL SAFETY DATA SHEET

Potential Health Effects:

Corrosive to eyes, nose, throat and lungs. May cause irreversible tissue damage to the eyes including blindness. May cause skin irritation.

IV. FIRST AID

After inhalation:

Remove individual to fresh air. If breathing difficulty or discomfort occurs and persists, contact a medical doctor.

After skin contact:

Wash with plenty of soap and water. Get medical attention if irritation occurs and persists.

After eye contact:

Immediately flush with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. See a medical doctor or ophthalmologists immediately.

After ingestion:

Rinse mouth with water. Dilute by giving 1 or 2 glasses of water. Do not induce vomiting. Never give anything by mouth to an unconscious person. See a medical doctor immediately.

Notes to Medical Doctor:

Hydrogen peroxide at these concentrations is a strong oxidant. Direct contact with the eye is likely to cause corneal damage especially if not washed immediately. Careful ophthalmologic evaluation is recommended and the possibility of local corticosteroid therapy should be considered. Because of the likelihood of corrosive effects on the gastrointestinal tract after ingestion, and the unlikelihood of systemic effects, attempts at evacuating the stomach via emesis induction or gastric lavage should be avoided. There is a remote possibility, however, that a nasogastric or orogastric tube may be required for the reduction of severe distension due to gas formation.

V. FIRE FIGHTING MEASURES

Flammability Summary (OSHA): Product is not known to be flammable, combustible or explosive.

Flammable Properties

Flash Point:

N/A

Fire/Explosion Hazards:

Material may be ignited only if preheated to high temperatures, for example in a fire. Relative hazard is anticipated to be the same as typical combustible materials.

Extinguishing Media:

Use foam, dry chemical or water spray when fighting fires.

Fire Fighting Instructions:

In case of fire, use normal firefighting equipment including a NIOSH approved self-contained breathing apparatus (SCBA). Use water to cool containers.

Hazardous Combustion Products:

Carbon Dioxide, Carbon Monoxide

VI. ACCIDENTAL RELEASE AND MEASURES

Release Note:

Dilute with a large volume of water and hold in a pond or diked area until hydrogen peroxide decomposes. Hydrogen peroxide may be decomposed by adding sodium metabisulfite or sodium sulfite after diluting to about 5%. Dispose according to methods outlined for waste disposal. Combustible materials exposed to hydrogen peroxide should be immediately submerged in or rinsed with large amounts of water to ensure that all hydrogen peroxide is removed. Residual hydrogen peroxide that is allowed to dry (upon evaporation hydrogen peroxide can

MATERIAL SAFETY DATA SHEET

concentrate) on organic materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in a fire.

VII. HANDLING AND STORAGE

Safe Handling:

Wear cup type chemical safety goggles and full-face shield, impervious clothing, such as rubber, PVC, etc., and rubber or neoprene gloves and shoes. Avoid cotton, wool and leather. Avoid excessive heat and contamination. Contamination may cause decomposition and generation of oxygen gas which could result in high pressures and possible container rupture. Hydrogen peroxide should be stored only in vented containers and transferred only in a prescribed manner (see FMC Technical Bulletins). Never return unused hydrogen peroxide to original container, empty drums should be triple rinsed with water before discarding. Utensils used for handling hydrogen peroxide should only be made of glass, stainless steel, aluminum or plastic.

Storage and Disposal:

Store drums in cool areas out of direct sunlight and away from combustibles. For bulk storage refer to FMC Technical Bulletins.

Ventilation:

Provide mechanical general and/or local exhaust ventilation to prevent release of vapor or mist into the work environment.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

<u>Chemical Name</u>	<u>TWA (ACGIH)</u>	<u>STEL/Ceiling (ACGIH)</u>	<u>PEL (OSHA)</u>	<u>STEL/Ceiling (OSHA)</u>
Hydrogen Peroxide	1 ppm		1 ppm	

National Exposure Standards:

No exposure limits established for this product.

Biological Limit Values:

No exposure limits established for this product.

Engineering Controls:

Ventilation should be provided to minimize the release of hydrogen peroxide vapor and mists into the work environment. Spills should be minimize or confined immediately to prevent release into work area. Remove contaminated clothing immediately and wash before reuse.

Personal Protective Equipment (PPE):

Eyes and face:

Use type chemical goggles. Full face shield may be used.

Respiratory:

If concentrations in excess of 10 ppm are expected use approved self-contained breathing apparatus. Do not use oxidizable sorbants such as activated carbon.

Protective clothing:

Liquid proof rubber or neoprene gloves. Rubber or neoprene footwear (avoid leather). Impervious clothing materials such as rubber, neoprene, nitrile or polyvinyl chloride (avoid cotton, wool and leather). Completely submerge hydrogen peroxide contaminated clothing or other materials in water prior to drying. Residual hydrogen peroxide, if allowed to dry on materials such as paper, fabrics, cotton, leather, wood or other combustibles can cause the material to ignite and result in a fire.

IX. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form:	Viscous liquid
Color:	White
Odor:	Odorless

MATERIAL SAFETY DATA SHEET

Health, Safety and Environmental Information

pH Value:	3.6 – 3.9
Bulk Density:	Not Available
Vapor Density:	Heavier than air
Evaporation Rate:	Slower than ether
Specific Gravity:	1.0218
Water Solubility:	Soluble
Boiling Point (°F):	>212°F (100°C)
Freezing Point (°F):	Not applicable
Melting Point (°F):	Not applicable
Flash Point (°F):	Not applicable
Autoignition Temp (°F):	Not applicable
Decomposition Temp (°F):	104 °F

X. STABILITY AND REACTIVITY

Stability and Reactivity Summary:

Stable under normal conditions

Chemical Incompatibility:

Reducing agents, combustible materials such as wood, cloth, or organic materials, metal such as iron, copper, and their alloys and dirt.

Hazardous Polymerization:

Will not occur

Hazardous Decomposition Products:

Oxygen

Conditions to Avoid:

Avoid heat and sunlight, Store away from flammable liquids, flammable solids, aerosols and other incompatible materials. Avoid contamination. Do not store any tint, lightener lotion or bleach powder after it has been mixed with developer; the container may rupture. Never return unused material to original container. Avoid extreme heat and return ignition sources.

XI. TOXICOLOGICAL INFORMATION

Route of Entry

Inhalation	Ingestion	Skin/Eye Contact
Yes	Yes	Yes

Health Effects

Acute	Chronic
Yes	Yes

Physical Effects

Flammable	Reactive
No	No

Acute toxicity

Harmful if swallowed.

Hydrogen Peroxide 9.6%

LD50/oral/rat= 1500 – 1600 mg/kg

MATERIAL SAFETY DATA SHEET

Irritancy and corrosiveness

Eye irritation: Hydrogen Peroxide 8%; Risk of serious damage to eyes.

Skin irritation: Patch test on human volunteers did not demonstrate irritating properties (argument by analogy).

Sensitizing effect

Not known sensitizing effect.

Subacute, subchronic and prolonged toxicity

Prolonged skin contact may cause skin irritation.

XII. ECOLOGICAL CONSIDERATIONS

Ecotoxicity:

Acute fish toxicity= LC50(96h)=16.4mg/l (pimephales promelas, US EPA)

EC50/48 h/daphnia= 2.4 mg/l (daphnia pulex , US EPA)

EC50/72h/algae=2.5mg/l(chlorella vulgaris, OECD 201 mod.)

Toxicity to bacteria: EC50(3h) =466 mg/l (OECD 209)

Bioaccumulation:

Biodegradable

Environmental Fate and Distribution:

Biodegradable

Fate and Effect in Waste Water Treatment Plants:

Biodegradable; rapid elimination in sewage treatment plants.

XIII. DISPOSAL CONSIDERATIONS

Disposal Method:

Disposal should be in accordance with all applicable local, state and federal regulations.

XIV. TRANSPORTATION METHOD

U.S. DEPARTMENT OF TRANSPORTATION (DOT) 49 CFR 172.101

Proper Shipping Name Consumer Commodity ORM-D

Land transport (ADR/RID)

IMDG code: 5.1

Warnings plate

UN number: 2984

ADR/RID packing group: III

Description of the goods: HYDROGEN PEROXIDE, Aqueous solution

Remarks: 8 – 20% Hydrogen Peroxide.
Large receptacles have to be equipped with a vent.

Inland waterways transport

Marine transport

IMDG code: 5.1

UN number: 2894

IMDG packing group: III

Description of the goods: Hydrogen Peroxide, Aqueous solution

MATERIAL SAFETY DATA SHEET

Air Transport

ICAO/IATA-DGR:	5.1
UN-ID number:	2894
IATA-packing instructions-Passenger:	514
IATA-packing instructions-Cargo:	515
ICAO packing group:	III

Description of the goods: Hydrogen Peroxide, Aqueous solution

XV. REGULATORY INFORMATION

U.S. Regulation

XVI. ADDITIONAL INFORMATION

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200

PATRICE BEAUTE / NATURA LABORATORIOS, S.A. DE C.V. BELIEVES INFORMATION ON THIS MSDS IS RELIABLE AND UP TO DATE.